

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	222/DIG.1.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:18
L2	738	222/DIG.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:18
L3	401	2 and (compress\$3 constrict\$3 squeez\$3 press\$3 contract\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:18
L4	363	3 and (slid\$3 mov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:19
L5	142	4 and (lock\$3 latch\$3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:20
L6	13	5 and ("one direction")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:25
L7	62	2 and ("one direction")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:25
L18	20220	(ink adj (cartridge dispenser refill\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 14:29
L19	303	18 and (lock\$3 adj (mechanism tool feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 14:29
L20	33	19 and (quality adj assurance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 14:30

L21	88	19 and (station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 14:30
S1	2920	347/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 09:30
S2	20196	(ink adj cartridge) or (ink adj dispenser) or (ink adj refill\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 09:31
S3	1870	S2 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 09:32
S4	1870	S2 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 09:37
S5	776	S4 and (replaceable reusable disposable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 09:41
S6	369	S5 and (manufacturer supplier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 09:52
S7	349	S6 and (printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 10:01
S8	221	S7 and (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:50
S9	54	S8 and (plunger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:00
S10	97108	(one two double dual) adj (housing container cartridge dispenser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:11

S11	3039	S10 and (ink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:01
S12	3225	S10 and (ink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:01
S13	1615	S12 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:01
S14	420	S13 and lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:06
S15	36	S14 and plunger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:06
S16	134510	lock\$3 adj mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:12
S17	1429	S16 and ((slidable movable) adj (portion housing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:15
S18	79	S17 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:08
S19	81	S17 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:11
S20	84	S17 and cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:11
S21	20	((slidable movable) adj (portion housing)) and 347/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:12

S22	2318	S16 and ((slidable sliding movable moving) adj (portion housing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:15
S23	13	S21 and (ink adj (refill\$3 cartridge dispenser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:20
S24	614	(ink adj (refill\$3 cartridge dispenser)) and plunger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:02
S25	0	("2003/0160843").URPN.	USPAT	OR	OFF	2005/11/10 14:24
S26	320	(ink adj (refill\$3 cartridge dispenser)) and plunger and lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:28
S27	20	("2065279" "2890652" "3065886" "3099211" "3199451" "3929071" "4535693" "4787313" "5724890" "5813339" "5878667" "5921181" "5947022" "6067906" "6085652").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/10 15:11
S28	0	(manufacturer with lock\$3) and 222/DIG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:31
S29	0	(manufacturer with lock\$3) and 222/DIG1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:31
S30	362	(manufacturer with lock\$3) and "222"/	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:37
S31	2	S30 and (ink adj (cartridge toner dispenser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 16:32
S32	2	S30 and (ink adj (cartridge toner dispenser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:32
S33	0	(manufacturer with lock\$3) and 222/DIG1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:37

S34	0	222/DIG1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:40
S35	558887	"222"/	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:39
S36	0	222/DIG1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:39
S37	0	222/DIG1.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:39
S38	0	222/DIG1.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:40
S39	0	"222.clas"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:41
S40	133780	"222".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:42
S41	20	S40 and (manufacturer with lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 16:45
S42	384	S40 and (lock\$3 latch\$3) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:45
S43	738	222/DIG.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:05
S44	0	S43 and (manufacturer with lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:15

S45	32	S43 and (lock\$3 adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:16
S46	34	S43 and (lock\$3 adj (mechanism feature tool))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:33
S47	32	S46 and (slid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 10:17
S48	32	S46 and (slid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:23
S49	3	S46 and (plunger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:24
S50	14	S46 and (compress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:27
S51	7	S46 and (refill\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:27
S52	157	S43 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:33
S53	53	S52 and (supplier manufacturer company)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:35
S54	10	S52 and (supplier manufacturer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:38
S55	91	S52 and (inkjet printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:39

S56	0	S52 and (inkjet adj printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:39
S57	0	S52 and (inkjet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:39
S58	42	S52 and (disengagement detachment separation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:42
S59	5	S52 and (prevent adj (disengagement detachment separation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:56
S60	157	S43 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 10:57
S61	78	S60 and (single one near2 (use usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:00
S62	6	S60 and (disposable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:02
S63	0	S60 and (authentic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:02
S64	0	S60 and (authentic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:02
S65	137	S60 and (two double dual adj (housing portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:04
S66	137	S60 and (two double dual adj (housing portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:04

S67	9	S60 and ((two double dual) adj (housing portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:09
S68	2	S60 and (ink adj (cartridge dispenser refill\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:12
S69	173	S43 and (lock\$3 latch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:13
S70	3	S69 and 347/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:15
S71	3	S43 and 347/86.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:22
S72	14	(ink adj cartridge) with (locking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:24
S73	0	(slidable adj cartridge) with (locking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:24
S74	17	(slidable with cartridge) with (locking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:30
S75	157	S43 and lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:12
S76	80	S75 and secur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:47
S77	0	S75 and (permanent adj lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:47

S78	0	S75 and (manufacturer adj lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 11:47
S79	0	S75 and tamper\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:12
S80	1	S75 and author\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:16
S81	0	S75 and unauthor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:17
S82	0	S75 and proprietary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:17
S83	16	S75 and (prevent\$3 adj (disengagement opening separation tampering detachment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 13:58
S84	0	S75 and (prevent\$3 adj (reuse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 12:47
S85	7	S75 and reusable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:00
S86	84	S75 and (protrusion notch recess indentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:05
S87	0	S75 and irretractable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:05
S88	123	S75 and (slid\$3 movable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:05

S89	88	S88 and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:07
S90	87	S43 and ((after subsequent) near3 (refill\$3 dispens\$3 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:09
S91	13	S90 and (lock\$3 adj (mechanism tool feature member))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:21
S92	4186	347/86 347/84 347/85 347/87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:22
S93	139	S92 and (lock\$3 adj (mechanism tool feature member))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:23
S94	7	S93 and ((after subsequent) adj3 (dispens\$3 refill\$3 empty\$3 compress\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:26
S95	2	S93 and (prevent adj (dislodg\$4 separat\$3 detachment disengagement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:32
S96	126	S93 and (slid\$3 movable compress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:33
S97	118	S96 and (prevent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:33
S98	93	S97 and (notch protrusion indentation recess latch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:34
S99	7	S98 and (manufacturer supplier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:36

S10 0	30	S93 and (authentic\$3 improper unauthorized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:50
S10 1	9	S93 and ((dual two double) adj (portion housing cartridge container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:52
S10 2	23253	(ink adj (cartridge dispenser container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:53
S10 3	331	S102 and (locking adj (mechanism tool feature member device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 14:53
S10 4	240	S103 and (compress\$4 squeez\$4 push\$4 depress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:01
S10 5	13	(sliding adj ink adj cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:02
S10 6	231	(ink adj cartridge with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:06
S10 7	0	(single adj use adj ink adj cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:06
S10 8	0	(single adj use adj ink adj dispenser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:06
S10 9	0	(disposable adj ink adj dispenser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:07
S11 0	148	(disposable adj ink adj cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:07

S11 1	10	S110 and plunger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:08
S11 2	24363	(ink adj (cartridge dispenser refill\$3 container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:09
S11 3	0	S112 and (prevent adj further adj (use usage compression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:10
S11 4	207	S112 and (prevent with (use usage compression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:12
S11 5	41	S112 and (prevent adj5 (use usage compression))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:14
S11 6	1495	S112 and (one adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:15
S11 7	0	S112 and (one adj time adj use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:15
S11 8	0	S112 and ("one time" adj use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:15
S11 9	0	S112 and ("one-time" adj use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:15
S12 0	0	S112 and (single adj use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:16
S12 1	2	S112 and (single adj compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:16

S12 2	49	S112 and (single adj pump)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:17
S12 3	80	S112 and (prevent adj (disengagement separation detachment opening dislodging))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:19
S12 4	24	S43 and (plunger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:23
S12 5	9	S43 and (plunger) and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:24
S12 6	57	S43 and (lock\$3 adj (mechanism device member tool feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:28
S12 7	595	(ink and refill\$3 and dispenser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:29
S12 8	1	S127 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:29
S12 9	250	S127 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:29
S13 0	107	S129 and ((first and second) with (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:30
S13 1	20	S129 and ((first and second) adj (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:31
S13 2	107	S129 and ((first and second) with (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:31

S13 3	157	S129 and ((first second) with (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:34
S13 4	102	S129 and ((first second) adj6 (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:34
S13 5	31	S129 and ((first second) adj (housing portion container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 15:59
S13 6	2546	141/2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:00
S13 7	153	S136 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:01
S13 8	24	S136 and ink and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:06
S13 9	1	("6799610").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/14 16:07
S14 0	4789	141/18 141/114 141/329 141/330 141/67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:08
S14 1	205	ink and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:09
S14 2	213	ink and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:09
S14 3	52	ink and S140 and lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/14 16:09

S14 4	14	("4183031" "4842028" "5199470" "5488400" "5495877" "5537134" "5546996" "5581287" "5912687" "5917526" "5933175" "6158851" "6273151" "6347863").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/14 16:13
S14 5	86989	"hewlett packard"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:02
S14 6	3041	S145 and (ink adj (cartridge dispenser container refill\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:03
S14 7	327	S146 and (lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:15
S14 8	169	S147 and (piston pump plunger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:18
S14 9	477994	(manufacturer supplier maker OEM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:19
S15 0	2327	S149 and (ink adj (cartridge container dispenser refill\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:20
S15 1	1755	S150 and (lock\$3 seal\$3 latch\$3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:21
S15 2	1567	S151 and (return\$3 send replace\$3 ship\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:21
S15 3	186	S152 and (warranty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:25
S15 4	1466	S152 and (expendable single once dispensable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:39

S15 5	1402	S154 and (compress\$3 press\$3 squeez\$3 compact\$3 contract\$3 constrict\$3 tight\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:43
S15 6	1237	S155 and (housing cover lodging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:52
S15 7	663	S156 and (piston pump\$3 hydraulic plung\$3 thrust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:56
S15 8	1063	S156 and (piston pump\$3 hydraulic plung\$3 thrust\$3 push\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55
S15 9	985	S158 and (hand force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:59
S16 0	1	S159 and (acuat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:59
S16 1	812	S159 and (actuat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:04
S16 2	546	S161 and (reservoir bag sac\$1 porous membrane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:04